

Technical Specifications

HP E32k G5 4K USB-C Monitor




Front

1. Ambient Light Sensor
2. Power Button
3. LED Power

Technical Specifications

HP E32k G5 4K USB-C Monitor



Back

1. Joypad OSD button
2. Security Cable Slot
3. Power Connector
4. HDMI 2.0 Port
5. DisplayPort™ 1.4
6. SuperSpeed USB Type-C® 5Gbps signaling rate (up to 65W USB Power Delivery, Alt Mode DisplayPort™ 1.4)
7. RJ-45 Port
8. SuperSpeed USB Type-A 5Gbps signaling rate
9. SuperSpeed USB Type-C® 5Gbps signaling rate (Up to 15W USB Power Delivery)
10. SuperSpeed USB Type-A 5Gbps signaling rate (2, 1 charging)

Technical Specifications


Model: 6N4D6AA

Panel Specifications	Display Size (Diagonal)	31.5" (80.0 cm)
	Viewable Diagonal Size	31.5" (80.0 cm)
	Panel Technology	IPS
	Max Refresh Rate	60 Hz
	Native Resolution	4K UHD (3840 x 2160)
	Panel Bit Depth	10 bit (8 bit + FRC)
	Aspect Ratio	16:9
	Brightness (Typical)	350 nits
	Contrast Ratio (Static)	1000:1
	Dynamic Contrast Ratio	8000000:1 =8M:1
	Flicker Free	Yes
	Pixel Pitch	0.18 x 0.18 mm
	Pixels Per Inch (PPI)	140 PPI
	Display Colors	Up to 1.07 billion colors supported* <i>*Number of colors available thru A-FRC.</i>
	Backlight Lamp Life Minimum (To Half Brightness - In Hours)	30k
	Backlight Type	Edge-lit
	Screen Treatment	Anti-glare
	Hardness	3H
	Haze	25%
	Response Time (Typical)	5ms GtG (with overdrive)
Horizontal Viewing Angle (Typical Cr>10)	178°	
Vertical Viewing Angle (Typical Cr>10)	178°	
Panel Active Area Metric (W X H)	69.73 x 39.22 cm	
Panel Active Area Imperial (W X H)	27.45 x 15.44 in	
NOTE: Performance specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower.		
Color	sRGB	99%
Color Management	Color Space/ Subsampling Support	RGB 4:4:4, YCBCR 4:4:4, YCBCR 4:2:2
	RGB Channel Adjust	Yes, Gain
	Default Color Temperature	Neutral (6500K)
Monitor Specifications	Bezel Type	3-sided borderless
	Color Of Stand	Black & Silver
	Color Of Head	Black
	Tilt	-5°~+20°
	Swivel	±45°
	Pivot	±90°
	Height Adjust Range	150 mm
	Vesa Mounting	100 mm x 100 mm
	Security Lock	Security lock-ready
	Detachable Stand	Yes
Warranty	3/3/0 for LA, NA, EMEA, APJ	

Technical Specifications

	Low Blue Light	(3/3/3 in select APJ Countries) Yes, HP Eye Ease (TÜV Low Blue Light Hardware Solution certified)
	Speaker Output Power Management Software	2x3 W HP Display Center, HP Display Manager* <i>*Host PC requires Windows 10 and above. HP Display Center is available on the Microsoft store.</i>
On Screen Display (OSD)	On Screen Display	Brightness+, Color, Image, Input, Power, Menu, Management, Information, Exit
	Native Resolution	4K UHD (3840 x 2160)
	Maximum Resolution	4K UHD (3840 x 2160 @ 60 Hz)
	Preset Graphic Modes/Supported Resolutions	640 x 480 @60Hz 720 x 400 @70Hz 800 x 600 @60Hz 720 x 480 @60Hz 1024 x 768 @60Hz 1280 x 720 @50Hz 1280 x 720 @60Hz 1280 x 1024 @60Hz 1440 x 900 @60Hz 1600 x 900 @60Hz 1600 x 1200 @60Hz 1680 x 1050 @60Hz 1920 x 1080 @60Hz 1920 x 1200 @60Hz 2560 x 1440 @60Hz 3840 x 2160 @30Hz 3840 x 2160 @60Hz
	Minimum Vertical Scan Rate	30 Hz
	Maximum Vertical Scan Rate	60 Hz
	Minimum Horizontal Scan Rate	30 Hz
	Maximum Horizontal Scan Rate	135 Hz
	Maximum Pixel Clock	600 MHz
	User Programmable Modes	Yes, 20
	User-Assignable Function Buttons	Yes, 4 (6 options)
	Audio	Built-in 2x3W speakers 11 (English, Spanish, German, French, Italian, Netherlands, Portuguese, Japanese, T-Chinese, S-Chinese and Russian)
	Languages	
Connector Types	DisplayPort™	1 DisplayPort™ 1.4
	HDMI	1 HDMI 2.0
	HDCP	Yes, DisplayPort™, HDMI and USB Type-C®
	USB Type-C® Video Input	1 SuperSpeed USB Type-C® 5Gbps signaling rate (up to 65W USB Power Delivery, Alt Mode DisplayPort™ 1.4)
	USB Type-C® Data	1 SuperSpeed USB Type-C® 5Gbps signaling rate (Up to 15W USB Power Delivery)

Technical Specifications

	USB- A	3 SuperSpeed USB Type-A 5Gbps signaling rate (1 charging)
	Ethernet	1 RJ-45 (10/100/1000 Mbps)
Special Features	SWITCH	Monitor Power button Next Active Input / Up button Audio / Down button Brightness / Left button Color / Right button Menu / Enter button
	Remote Manageability^{*,**}	Through HP Display Manager, In-Band MAC Address Pass Through (MAPT), In-Band Wake on LAN (WoL), PXE Boot, Out-of-Band MAC Address Pass Through (MAPT), Out-of-Band Wake on LAN (WoL). <i>*Not all notebooks support remote manageability. **Out-of-band manageability only available with HP G7, G8 and G9 HP notebooks and not supported on non-HP devices.</i>
	User Presets	11
	User Updateable Firmware	Yes
	Other Special Features	Ambient Light Sensor, Single Power On
Power & Operating Specs	Power Supply	Internal
	Power Source	100 – 240 VAC 50/60 Hz
	Power Consumption- Max	210 W
	Energy Saving/Stand By Mode	0.5 W
	Power Consumption - Typical	39 W
Energy Star Data	Operational Mode at 100 VAC	26.8 W
	Operational Mode at 115 VAC	26.6 W
	Operational Mode at 230 VAC	26.3 W
EU Energy Efficiency Class (ErP LOT-5)	On-mode Power Consumption for Standard Dynamic Range (SDR)	32.4 W
	ErP LOT5 Energy Efficiency Class for Standard Dynamic Range (SDR)	
Operating Conditions	Operating Temperature - Celsius	5° – 35°C
	Operating Temperature - Fahrenheit	41° – 95°F
	Non-Operating Temperature - Celsius	-40° – 65°C
	Non-Operating Temperature - Fahrenheit	-40° – 149°F
	Operating Humidity	20 – 80% Relative Humidity (non-condensing)
	Non-Operating Humidity	5 – 95%
	Operating Altitude	0 – 5,000 m (16,400 ft.)
	Non-operating Altitude	0 – 12,192 m (40,000 ft.)
Certifications and	Low Halogen	Yes*

Technical Specifications

Compliances

Agency Approvals and Certifications

Microsoft WHQL Certification

ENERGY STAR® Certified

EPEAT® Registered

Regions need to verify by country

China Energy Label

TCO Certified Edge

TCO Certified

SmartWay Transport Partnership - NA only

Contains Recycled Plastics

Contains Recycled Plastics

Recycled Metals

Recyclable Packaging (Box, packing materials)

Unit Product/Package Specifications

Product Dimensions

(Unpacked with stand) (W x D x H)

Product Dimensions

(Packed) (W x D x H)

Display Head Dimensions

(Unpacked without stand) (W x D x H)

Base Area Footprint

(w x d mm)

Bezel Measurements

*External power supplies, WWAN modules, power cords, cables and peripherals excluded.

WW application

CE/CB/KC/KCC/NOM/PSB/ICE/TUV-S/ISO 9241-307/

EAC/UL/CSA/CCC/CEL/CECP/SEPA/TCO/TCO Certified

Edge/Energy

Star/ISC/VCCI/FCC/BSMI/WEEE/PSE/cTUVus/BIS/UAE/Ukra

ine EE/E-Standy(Korea MEPS)/NRCS/TGM

Win 10, Win 11

Yes

EPEAT® Gold in United States*

*Based on US EPEAT® registration according to IEEE 1680.1-2018 EPEAT®. Status varies by country. Visit

<http://www.epeat.net> for more information.

CEL Grade 1

Yes

Yes

Yes (NA sku)

Contains ocean-bound recycled plastic*; 70% ITE-derived closed loop plastic**

*All plastic parts contain ocean-bound plastic. Percentage of ocean-bound plastic contained in each component varies by product.

** ITE Derived Closed Loop Plastic percentage is based on the definition set in the IEEE 1680.1-2018 standard.

At least 25% recycled metal*

*Recycled metal is expressed as a percentage of the total weight of the metal according to ISO 14021 definitions for metal parts over 25 grams.

Outside Box and corrugated cushions are 100% sustainably sourced and recyclable*

*100% outer box packaging and corrugated cushions made from sustainably sourced certified and recycled fibers.

Metric

Imperial

71.4x22.7x60.34 cm

28.11x8.94x23.76 inch

82x52.7x16.1 cm

32.28x20.75x6.34 inch

71.4x4.7x42.12 cm
(w/o hinge)

28.11x1.85x16.58 inch
(w/o hinge)

71.4x7.47x42.12 cm
(w/ hinge)

28.11x2.94x16.58 inch
(w/ hinge)

256 x 205 mm

10.08 x 8.07 inch

Bottom: 18.1 mm

Bottom: 0.71 inch

Technical Specifications

	Product Weight (Unpacked with stand)	8.4 kg	18.52 lb	
	Product Weight (Packed)	11.76 kg	25.93 lb	
	Product Weight (Head Only)	5.94 kg (w/o hinge) 6.32 kg (w/ hinge)	13.1 lb (w/o hinge) 13.93 lb (w/ hinge)	
Pallet Information	Pallet Dimensions (L x W x H mm)	Slip Sheet: 1135 x 828 x 2117 mm (20' ft & 40' ft)	Slip Sheet: 44.69 x 32.6 x 83.35 inch (20' ft & 40' ft)	
		Slip Sheet: 1135 x 828 x 2117 mm (40 HQ)	Slip Sheet: 44.69 x 32.6 x 83.35 inch (40 HQ)	
		Pallet: 1135 x 828 x 2249 mm (20' ft & 40' ft)	Pallet: 44.69 x 32.6 x 88.54 inch (20' ft & 40' ft)	
		Pallet: 1135 x 828 x 2249 mm (40 HQ)	Pallet: 44.69 x 32.6 x 88.54 inch (40 HQ)	
		Pallet Total Weight	Slip Sheet: 334.42 kg (20' ft & 40' ft)	Slip Sheet: 737.28 lbs (20' ft & 40' ft)
			Slip Sheet: 334.42 kg (40 HQ)	Slip Sheet: 737.28 lbs (40 HQ)
			Pallet: 347.57 kg (20' ft & 40' ft)	Pallet: 766.25 lbs (20' ft & 40' ft)
			Pallet: 347.57 kg (40 HQ)	Pallet: 766.25 lbs (40 HQ)"
		Pallet Layers	4 layers per slip sheet 4 layers per pallet	
		Pallet Product per Layer	7 per layer (slip sheet) 7 per layer (pallet)	
	Total Products per Pallet	28 sets per slip sheet 28 sets per pallet		
	Container Load, 20-Foot	392 sets (slip sheet) 392 sets (pallet)		
	Container Load, 40-Foot	784 sets (slip sheet) 784 sets (pallet)		
	Container Load, 40-Foot HighQ	784 sets (slip sheet) 784 sets (pallet)		
What's in the box?	AC power cord (1.83m) 5.9ft USB 3.2 C-C cable (1.0m) Warranty Quick Setup Poster			
User Guide and Warranty Languages	User Guide Languages	Arabic, Bahasa Indonesia, Bulgarian, Chinese-S, Chinese-T, Czech, Danish, Dutch, English, Estonian, Finnish, French, German, Greek, Hebrew, Hungarian, Italian, Japanese, Kazakh, Korean, Latvian, Lithuanian,		

Technical Specifications

Warranty Languages

Norwegian, Polish, Portuguese (Brazilian), Portuguese (Iberian), Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Thai, Turkey, Ukrainian
English US (EN), English AP (EN-AP), English LA (EN-LA), English UK (EN-GB), Arabic (AR) - 17x, Bahasa Indonesia (ID), Bosnian (BS), Bulgarian (BG), Chinese-S (CN), Chinese-T (TW), Croatian (HR), Czech (CS), Danish (DA), Dutch (NL), Estonian (ET), Finnish (FI), French Canadian (FC), French European (FR), German (DE), Greek (EL), Hebrew (HE), Hungarian (HU), Italian (IT), Japanese (JA), Kazakh (KK), Korean (KO), Latvian (LV), Lithuanian (LT), Norwegian (NO), Polish (PL), Portuguese, Brazilian (BR), Portuguese, Iberian (PT), Romanian (RO), Russian (RU), Serbian (SR), Slovak (SK), Slovenian (SL), Spanish, Castilian (ES-ES), Spanish, Latin America (ES-MX), Swedish (SV), Thai (TH)
Turkish (TR), Ukrainian (UK), Vietnamese (VI)

Technical Specifications

ENVIRONMENTAL DATA

Eco-Label Certifications & declarations	<p>This product has received or is in the process of being certified to the following approvals and may be labeled with one or more of these marks:</p> <ul style="list-style-type: none"> • IT ECO declaration • US ENERGY STAR® • US Federal Energy Management Program (FEMP) • EPEAT® Gold registered in the United States. See http://www.epeat.net for registration status in your country. • TCO Certified Edge • China Energy Conservation Program (CECP) • China State Environmental Protection Administration (SEPA) • Taiwan Green Mark • Korea Eco-label • Japan PC Green label* 		
Sustainable Impact Specifications	<ul style="list-style-type: none"> • Ocean-bound plastic in stand • 75% post-consumer recycled plastic • 25% recycled metal • Low halogen • Outside Box and corrugated cushions are 100% sustainably sourced and recyclable • Molded Paper Pulp Cushion inside box is 100% sustainably sourced and recyclable • Recycled Plastic cushions 		
System Configuration	<p>The configuration used for the Energy Consumption and Declared Noise Emissions data for the Notebook model is based on a “Typically Configured Notebook”.</p>		
Energy Consumption (in accordance with US ENERGY STAR® test method)	115VAC, 60Hz	230VAC, 50Hz	100VAC, 50Hz
Normal Operation (Short idle)	26.6 W	26.3 W	26.8 W
Normal Operation (Long idle)	26.6 W	26.3 W	26.8 W
Sleep	0.65 W	0.64 W	0.66 W
Off	0.21 W	0.21 W	0.2 W
	<p>NOTE: Energy efficiency data listed is for an ENERGY STAR® compliant product if offered within the model family. HP computers marked with the ENERGY STAR® Logo are compliant with the applicable U.S. Environmental Protection Agency (EPA) ENERGY STAR® specifications for computers. If a model family does not offer ENERGY STAR® compliant configurations, then energy efficiency data listed is for a typically configured PC featuring a hard disk drive, a high efficiency power supply, and a Microsoft Windows® operating system.</p>		
Heat Dissipation*	115VAC, 60Hz	230VAC, 50Hz	100VAC, 50Hz
Normal Operation (Short idle)	91.0 BTU/hr	89.9 BTU/hr	91.7 BTU/hr
Normal Operation (Long idle)	91.0 BTU/hr	89.9 BTU/hr	91.7 BTU/hr
Sleep	2.2 BTU/hr	2.2 BTU/hr	2.3 BTU/hr
Off	0.7 BTU/hr	0.7 BTU/hr	0.7 BTU/hr
	<p>*NOTE: Heat dissipation is calculated based on the measured watts, assuming the service level is attained for one hour.</p>		

Technical Specifications

Longevity and Upgrading	<p>This product can be upgraded, possibly extending its useful life by several years. Upgradeable features and/or components contained in the Spare parts are available throughout the warranty period and or for up to “5” years after the end of production.</p>		
Additional Information	<ul style="list-style-type: none"> • This product is in compliance with the Restrictions of Hazardous Substances (RoHS) directive - 2011/65/EC. • This HP product is designed to comply with the Waste Electrical and Electronic Equipment (WEEE) Directive – 2002/96/EC. • This product is in compliance with California Proposition 65 (State of California; Safe Drinking Water and Toxic Enforcement Act of 1986). • This product is in compliance with the IEEE 1680 (EPEAT) standard at the Gold level, see www.epeat.net • Plastics parts weighing over 25 grams used in the product are marked per ISO11469 and ISO1043. • This product is 98.2% recycle-able when properly disposed of at end of life. 		
Packaging Materials	External:	PAPER/Corrugated	2515 g
		PAPER/Molded Pulp	670 g
	Internal:	PLASTIC/EPE (Polyethylene Expanded)	48 g
		PLASTIC/EPE (Polyethylene Expanded)	9 g
		PLASTIC/EPE (Polyethylene Expanded)	7 g
	The plastic packaging material contains at least 0.0% recycled content.		
	The corrugated paper packaging materials contains at least 100.0% recycled content.		
RoHS Compliance	<p>HP Inc. complies fully with materials regulations. We were among the first companies to extend the restrictions in the European Union (EU) Restriction of Hazardous Substances (RoHS) Directive to our products worldwide through the HP GSE. HP has contributed to the development of related legislation in Europe, as well as China, India, and Vietnam.</p> <p>We believe the RoHS directive and similar laws play an important role in promoting industry-wide elimination of substances of concern. We have supported the inclusion of additional substances—including PVC, BFRs, and certain phthalates—in future RoHS legislation that pertains to electrical and electronics products.</p> <p>We met our voluntary objective to achieve worldwide compliance with the new EU RoHS requirements for virtually all relevant products by July 2013, and we will continue to extend the scope of the commitment to include further restricted substances as regulations continue to evolve.</p> <p>To obtain a copy of the HP RoHS Compliance Statement, see HP RoHS position statement.</p>		
Material Usage	<p>This product does not contain any of the following substances in excess of regulatory limits (refer to the HP General Specification for the Environment at http://www.hp.com/hpinfo/globalcitizenship/environment/supplychain/gen_specifications.html):</p> <ul style="list-style-type: none"> • Asbestos • Certain Azo Colorants • Certain Brominated Flame Retardants – may not be used as flame retardants in plastics • Cadmium • Chlorinated Hydrocarbons • Chlorinated Paraffins • Bis(2-Ethylhexyl) phthalate (DEHP) 		

Technical Specifications

	<ul style="list-style-type: none"> • Benzyl butyl phthalate (BBP) • Dibutyl phthalate (DBP) • Diisobutyl phthalate (DIBP) • Formaldehyde • Halogenated Diphenyl Methanes • Lead carbonates and sulfates • Lead and Lead compounds • Mercuric Oxide Batteries • Nickel – finishes must not be used on the external surface designed to be frequently handled or carried by the user. • Ozone Depleting Substances • Polybrominated Biphenyls (PBBs) • Polybrominated Biphenyl Ethers (PBBEs) • Polybrominated Biphenyl Oxides (PBBOs) • Polychlorinated Biphenyl (PCB) • Polychlorinated Terphenyls (PCT) • Polyvinyl Chloride (PVC) – except for wires and cables, and certain retail packaging has been voluntarily removed from most applications. • Radioactive Substances • Tributyl Tin (TBT), Triphenyl Tin (TPT), Tributyl Tin Oxide (TBTO)
Packaging Usage	<p>HP follows these guidelines to decrease the environmental impact of product packaging:</p> <ul style="list-style-type: none"> • Eliminate the use of heavy metals such as lead, chromium, mercury and cadmium in packaging materials. • Eliminate the use of ozone-depleting substances (ODS) in packaging materials. • Design packaging materials for ease of disassembly. • Maximize the use of post-consumer recycled content materials in packaging materials. • Use readily recyclable packaging materials such as paper and corrugated materials. • Reduce size and weight of packages to improve transportation fuel efficiency. • Plastic packaging materials are marked according to ISO 11469 and DIN 6120 standards.
End-of-life Management and Recycling	<p>HP offers end-of-life HP product return and recycling programs in many geographic areas. To recycle your product, please go to: http://www.hp.com/go/reuse-recycle or contact your nearest HP sales office. Products returned to HP will be recycled, recovered or disposed of in a responsible manner.</p> <p>The EU WEEE directive (2002/95/EC) requires manufacturers to provide treatment information for each product type for use by treatment facilities. This information (product disassembly instructions) is posted on the Hewlett Packard web site at: http://www.hp.com/go/recyclers. These instructions may be used by recyclers and other WEEE treatment facilities as well as HP OEM customers who integrate and re-sell HP equipment.</p>
HP, Inc. Corporate Environmental Information	<p>For more information about HP's commitment to the environment:</p> <p>Global Citizenship Report http://www.hp.com/hpinfo/globalcitizenship/gcreport/index.html</p> <p>Eco-label certifications http://www8.hp.com/us/en/hp-information/environment/ecolabels.html</p> <p>ISO 14001 certificates: http://h20195.www2.hp.com/V2/GetDocument.aspx?docname=c04755842 and http://www.hp.com/hpinfo/globalcitizenship/environment/pdf/cert.pdf</p>

Technical Specifications

footnotes	<ul style="list-style-type: none">• Percentage of ocean-bound plastic contained in each component varies by product• Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 standard.• External power supplies, WWAN modules, power cords, cables and peripherals excluded.• 100% outer box packaging and corrugated cushions made from sustainably sourced certified and recycled fibers.• Fiber cushions made from 100% recycled wood fiber and organic materials.• Plastic cushions are made from >90% recycled plastic.• Recycled metal is expressed as a percentage of the total weight of the metal according to ISO 14021 definitions for metal parts over 25 grams
------------------	---

Technical Specifications

© Copyright 2023 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Microsoft and Windows are registered trademarks or trademarks of Microsoft Corporation in the U.S. and/or other countries. ENERGY STAR is a registered trademark owned by the U.S. Environmental Protection Agency.

Summary

Change Log

Change Log			
	V1 to V2		